

QUIET DUO™ LR100 SERIES

700mA Dual Latch Retraction / Dogging Kit



TownSteel

Arrow

Falcon

PDO

Cal-Royal

Falcon IR

• PHI

Marshall Best

• Sargent

• SDC

Tell

• Detex

Dorma

Jackson

- IDC
- Von Duprin
- Yale
- Corbin Russwin
- Dor-O-Matic
- Hager
- Adams Rite
- Stanley K2

APPLICATION

The IDC LR100 Series Electric Latch Retraction Kit enables electric access control and dogging of mechanical exit devices. When energized the motor retracts the exit device latch and pulls the pushpad into the dogged (depressed) position enabling momentary or sustained push and pull operation of the door.


The latch retraction mechanism may be activated by an access control, remote control device or building automation system. The exit device always provides uninhibited egress.

Field Installed Retrofit Kit

• UL Classified for use with 3hr fire rated & non-fire rated exit devices

IDC Factory Installed Kit

- UL Listed for use with 3hr fire rated & non-fire rated exit devices
- Distributor sends exit device to IDC for kit installation



International Door Closers, Inc.

COPYRIGHT 2018 INTERNATIONAL DOOR CLOSERS, INC

Factory Installed Kits are UL Listed and Field Retrofit Kits are UL Classified

For use with 3Hr fire rated and non-fire rated mechanical exit devices.

Only 700mA inrush / 200mA continuous @ 24VDC provides simultaneous latch retraction, dogging with pushpad depression unless specified otherwise.

FEATURES

- 700 mA Inrush, 200 mA Continuous @ 24VDC
- For access control and sustained dogging applications
- Simultaneous latch retraction and dogging (pushpad depressed) for most exit devices*
- Pushpad is depressed* electrically for quieter push / pull operation
- Automatic re-trigger if device does not pull on first try * on designated models
- Eliminates need for costly replacement of existing exit device
- Significantly less labor and costs compared to competitive retrofit kits
- Low current enables longer wire runs with smaller gauge wire
- No door sequencers required for pairs of manual doors
- Installs in Von Duprin non-fire rated panic device without removing from the door



32" Opening (36" Device Modified for 32" Opening)

28:110	DEVICE 4
28"	DND RAL .
	4.577
	LR100VD-EM

West: 800-544-4422 • East: 800-225-6737 www.intldoorclosers.com

ORDERING INFORMATION

IDC (INTERNATIONAL DOOR CLOSERS)				
8000 SERIES EXIT DEVICES				
Electric Latch	Retra	action / Dogging Dev	vice	
Opening		Field Retrofit Kit Factory Installed		
36"-48"		LR100IDCK	LR100IDC	
30″		LR100IDCKEM	LR100IDCEM	
Options				
LRIDC1L	Latch Status Kit			
LRIDC1R	Push	Pushpad/Dogging Status or REXStatus Kit		

Models						
Standard		Narrow Line				
8610 / 8810	Rim Mount	8510/8710				
8630 / 8830	Surface Vertical Rod	8530 / 8730				
8620 / 8820	Mortise					
8650 / 8850	Concealed Vertical Rod	8550 / 8750				

VON DUPRIN 22 SERIES EXIT DEVICES				
Length	Field Retrofit Kit		Factory Installed	
36"- 48"	LR100VDK-2	2	LR100VD-22	
30″	LR100VDK-2	2-EM	LR100VD-22-EM	
Models				
22		Rim N	lount	
2227		Surfac	e Vertical Rod	
Options				
LRVD1L Latch Status Kit			or 22 Series	
LRVD2R	REX Status or Pushpad/Dogging Status for 22 Series			

VON DUPRIN 98/99 AND 33/35 SERIES EXIT DEVICES					
Opening		Field Retrofit Kit		Factory Installed	
36"- 48"		LR100VDK		LR100VD	
30″		LR100VD	K-EM	LR100VD-EM	
Models					
98/99	33A / 35A		Rim Mo	unt	
9827/9927	3327A / 3527A		Surface	Vertical Rod	
9847/9947	3347A / 3547A		Conceal	ed Vertical Rod	
9875/9975			Mortise		
9857/9957			Three P	oint latching	

DORMA EXIT DEVICES					
Opening	Field Retrofit Kit	Factory Installed			
36″	LR100DAK LR100DA				
Models					
9300 / F9300	Rim Mount				
9400 / F9400	Surface Vertical Rod				

YALE 7000 SERIES EXIT DEVICES				
Length	Field Retrof	it Kit	Factory Installed	
36″	LR100YDK		LR100YD	
30″	LR100YDK-E	М	LR100YD-EM	
42"- 48"	LR100YDK-4	2/48	LR100YD-42/48	
Models				
7100, 7102, 7200		Rim Mount		
7110, 7210	7110, 7210		e Vertical Rod	
7120, 7220	7120, 7220		Concealed Vertical Rod	
Options				
LRY1L	Latch Statu	s Kit		
LRY1R	REX Status Kit			

CORBIN RUSSWIN • ED SERIES EXIT DEVICES				
Opening	Fie	Field Retrofit Kit		Factory Installed
36″	LR	100CRK		LR100CR
30"	LR	100CRK	-EM	LR100CR-EM
42"- 48"	LR	LR100CRK 42/48		LR100CR 42/48
Options				
LRCR1L			Latch Status Kit	
LRCR1R			REX Status Kit	
Models				
ED5200 / ED4200 Rim M		Rim Mo	ount	
ED5400	ED5400 Surfac		e Vertica	l Rod
ED4800 / ED4800 Concea		Concea	led Vertio	cal Rod

International Door Closers, Inc.

COPYRIGHT 2018 INTERNATIONAL DOOR CLOSERS, INC

HAGER 4500 SERIES EXIT DEVICES				
Opening		Field Retrofit Kit		Factory Installed
36"- 48"		LR100HK		LR100H
30″		LR100HK-EM		LR100H-EM
Models				
4501 - R	Rim Rim Mount		Rim Mount	
4501 - SV	/R Surface Ver		Surface Ver	tical Rod
Options				
LRH1L	Latch Status Kit			
LRH1R	Pushpad/Dogging Status or REX Status Kit			

ADAMS RITE EXIT DEVICES				
Opening	Field Retrofit Kit		Factory Installed	
36"-48"	LR1	00ARK	LR100AR	
30″	LR100ARK-EM		LR100AR-EM	
Models				
8700** / 8800 / 3700		Rim Mount		
8100 / 8200 / 3100		Surface Vertical Rod		
8500 / 8600 / 3600		Concealed Ver	tical Rod	
Options				
LRARIR		REX Status Kit		

STANLEY K2 QED SERIES EXIT DEVICES					
Opening		Field Retrofit Kit	Factory Installed		
36"- 48"		LR100K2K	LR100K2		
30″		LR100K2K-EM	LR100K2-EM		
Models	Models				
QED111	Rim Mount				
QED114	Surface Vertical Rod				
QED124	Concealed Vertical Rod				
Options					
LRK2R	Latch Status and REX Status or Pushpad/				
	Dog	Dogging Status Kit			

ARROW 1000 SERIES EXIT DEVICES				
Opening	Field Retrofit Kit Factory Installed			
36" - 48"	LR100AWK LR100AW			
Models				
S1250	Rim Mount			
S1150	Surface Vertical Rod			
Opening	Field Retrofit Kit Factory Installed			
36″	LR100AWK-ED910 LR100AW-ED910			
Models				
S1250	Rim Mount			

International Door Closers, Inc.

COPYRIGHT 2018 INTERNATIONAL DOOR CLOSERS, INC

TOWNSTEEL	ED1100 SERIES EXIT	DEVICES
Opening	Field Retrofit Kit	Factory Installed
36"- 48"	LR100TSK	LR100TS
30″	LR100TSKEM	LR100TSEM
Models		
ED1100	Rim Mount	
ED1200	Surface Vertical Ro	d
ED1300	Concealed Vertical	Rod
Options		
LRTS1R	REX Status or Push	pad/Dogging Status Kit
Opening	Field Retrofit Kit	Factory Installed
36″	LR100TSK-55/56	LR100TS-55/56
Models		
ED5500	Rim Mount	
ED5600	Surface Vertical Rod	
Options		
LRTS2R	REX Status or Pushpad/Dogging Status Kit FOR ED5500	
Opening	Field Retrofit Kit	Factory Installed
36″	LR100TSK-65/67	R100TS-65/67
Models		
ED6500	Rim Mount	
ED6700	Surface Vertical Rod	

PHI (PR	ECISION	HARDWARE) EXIT DE	EVICES
Length	Field Retrofit Kit		Factory Installed
36″		LR100PDK	LR100PD
Models			
2100/2	2400	Rim Mount	
2200 LB	R	Surface Vertical I	Rod
2800 LB	R / 2600	Concealed Vertical Rod	
5100		Rim Mount	
5200 LB	R	Surface Vertical Rod	
Options	S		
LRP1L	Latch Status Kit for PHI Rim 2000 Series		2000 Series
LRP2L	Latch Status Kit for PHI Vertical Rod 2000 Series		ical Rod 2000 Series
LRP1R	REX Status or Pushpad/Dogging Status for PHI 2000 Series		

TELL MFG. EXIT DEVICES		
Opening	Field Retrofit Kit	Factory Installed
36″	LR100TEK	LR100TE
Models		
9500	Rim Mount	
9400	Surface Vertical Rod	

West: 800-544-4422 • East: 800-225-6737 www.intldoorclosers.com

FALCON DOR-O-MATIC EXIT DEVICES			
Opening	Field Retrofit Kit	Factory Installed	
36″	LR100FAK	LR100FA	
30″	LR100FAK-EM	LR100FA-EM	
Models			
1790	Rim Mount		
1690	Concealed Vertical Rod		
Opening	Field Retrofit Kit	Factory Installed	
36″	LR100DMK	LR100DM	
Models			
1590	Rim Mount		
1490	Concealed Vertical Rod		

CAL-ROYAL EXIT DEVICES			
Opening	Field Retrofit	Kit	Factory Installed
36″	LR100CAK		LR100CA
Models			
7700 / F7700	Rim Mount		
7760 / F7760	Surface Vert	ical Rod	
Opening	Field Retrofit	Kit	Factory Installed
36″	LR100CAK-98	800	LR100CA-9800
Models			
GLS9800	Rim Mount		
	Concealed Vertical Rod		
GLSCVR9800	Concealed V	ertical R	od
Opening	Concealed V Field Retrofi		od Factory Installed
		t Kit	
Opening	Field Retrofi	t Kit	Factory Installed
Opening 30"	Field Retrofi LR100CAK-El	t Kit	Factory Installed LR100CA-EM

SDC 6000 SERIES EXIT DEVICES			
Opening		Field Retrofit Kit	Factory Installed
36"- 48"		LR100SDCK	LR100SDC
30″		LR100SDCKEM	LR100ISDEM
Models			
S6100	Rim	Rim Mount	
S6200	Surf	ace Vertical Rod	
S6300	Mortise		
S6800	Concealed Vertical Rod		
Options			
LRSDC1L	Latch Status Kit		
LRSDC1R	Pushpad/Dogging Status or REXStatus Kit		

FALCON 24/25 SERIES EXIT DEVICES			
Opening	Field Retrofit Kit	Factory Installed	
36″	LR100FRK LR100FR		
Models			
25-R / F-25-R 24-R / F-24-R	Rim Mount		
25-V / F-25-V 24-V / F-24-V	Surface Vertical Rod		
25-C / F-25-C 24-C / F-24-C	Concealed Vertical	Rod	

MARSHALL BEST EXIT DEVICES		
Opening	Field Retrofit Kit	Factory Installed
36″	LR100MBSK	LR100MBS
30″	LR100MBSK-EM	LR100MBS-EM
Models		
Q1100/QF1100	Rim Mount	
Q1200/QF1200	Surface Vertical Rod	

PDQ EXIT DEVICES		
Opening	Field Retrofit Kit	Factory Installed
36"- 48"	LR100PDQK	LR100PDQ
Models		
6200R	Rim Mount	
6200V	Surface Vertical Rod	

TELL EXIT DEVICES		
Opening	Field Retrofit Kit	Factory Installed
36″	LR100TEK	LR100TE
Models		
9500	Rim Mount	
9400	Surface Vertical Rod	

JACKSON 2000 SERIES EXIT DEVICES		
Opening	Field Retrofit Kit	Factory Installed
36″	LR100JAK	LR100FR
Models		
2095	Rim Mount	
2085	Concealed Vertical	Rod (top latch)
2086	Concealed Vertical Rod (top bolt)	

International Door Closers, Inc.

COPYRIGHT 2018 INTERNATIONAL DOOR CLOSERS, INC

ACCESSOR	IES
602RF	1 Amp Power Supply, UL Listed 294, for 1 or 2 exit devices
632RF	2 Amp Power Supply, UL Listed 294 for 3 or 4 exit devices
EMC	2 Station Automatic Door Sequence; Each EMC provides interface and sequencing for two single or one double automatic door.
PTH-4Q	4-wire Electric Hinge, 1 Amp max. UL 10B
PTH-4QDPS	4-wire, Electric Hinge 1 Amp max. UL 10B. With concealed Door Status Contact
PTH-2+4Q	6-wire Electric Hinge 1-pair 16 Amp inrush, 4 Amp continuous; 2-pair 1 Amp @ 12/24V
PTH-10Q	Ten (10) Conductor Power Transfer Hinge, 1 Amp @ 12/24V per pair
PT-5	Concealed mortise power transfer device, UL 10B Fire Door Accessory
PT-3V	Stainless steel door loop with surface wire junction
PTM-2AL	Two (2) Conductor Power Transfer Device: Two (2) 18 Ga. wires 5 Amp @ 12/24V AC/DC, Aluminum Powder Coat, US28 equivalent
PTM-2BZ	Two (2) Conductor Power Transfer Device: Two (2) 18 Ga. wires 5 Amp @ 12/24V AC/DC, Dark Brown Powder Coat, US10B equivalent
PTM-10AL	Ten (10) Conductor Power Transfer Device: Ten (10) 24 Ga. wire 1 Amp @ 12/24V AC/DC, Aluminum Powder Coat, US28 equivalent
PTM-10BZ	Ten (10) Conductor Power Transfer Device: Ten (10) 24 Ga. wire 1 Amp @ 12/24V AC/DC, Dark Brown Powder Coat, US10B equivalent
400U-L2	Two LEDs. Specify lens color. Standard Finish, on 1 Gang plate
400NU-L2	Two LEDs. Specify lens color. Standard Finish, on narrow plate

DETEX EXIT DEVICE						
Opening	Field Retrofit Kit		ofit Kit	Factory Installed		
36″	LR100DXK			LR100DX		
Models						
10 / 40 Series		Rim Mount				
20 / 50 Series		Surface Vertical Rod				
80 / 81 / 62 / 63 Series		Concealed Vertical Rod				
Options						
LRDX1R			REX Status Status Kit			

SARGENT EXIT DEVICES					
Length	Field Retrofit Kit	Factory Installed			
36"- 48"	LR100SGK	LR100SG			
30″	LR100SGK-EM	LR100SG-EM			
Models					
8500 / 8800	Rim Mount				
8700	Surface Vertical Rod				
8400 / 8600	Concealed Vertical Rod				
8300 / 8900	Mortise				
Options					
LRSG2R	Latch Status and REX Status or Pushpad/Dogging Status Kit				

MARKS EXIT DEVICES					
Opening	Field Retrofit Kit	Factory Installed			
36″	LR100MDK	LR100MD			
Models					
M9900	Rim Mount				
M9900VR	Surface Vertical Rod				

PAMEX EXIT DEVICES					
Opening		Field Retrofit Kit	Factory Installed		
36"- 48"		LR100PAK	LR100PA		
30″		LR100PAK-EM	LR100PA-EM		
Models					
EF9000	Rim Mount				
EF9000V	Surface Vertical Rod				
EF9020V	Concealed Vertical Rod				

International Door Closers, Inc.

COPYRIGHT 2018 INTERNATIONAL DOOR CLOSERS, INC